



NEW SUPRA HIGH CAPACITY
Product presentation

CUSTOMER NEEDS

No compromise on cold chain

Higher capacity

Multi temperature flexibility



3 NEW HIGH CAPACITY UNITS



Up to 12 000 Watts

Available in Multi Temperature

Full autonomous unit

EXTENDED RANGE

Supra 950 & 950 MT



10600 W
2650 m³/hr

Supra 1250 & 1250 MT



12000 W
3350 m³/hr



Supra 1150 & 1150 MT



10500 W
3350 m³/hr

Supra 1050



9100 W
3350 m³/hr

IMPROVED PERFORMANCE


Capacity

Performance




Higher capacity

+13%




Superior airflow

+26%




Lower fuel consumption

-4%



— New Supra
— Supra 950


MULTI-TEMPERATURE EXPERIENCE



Total flexibility for multi-product deliveries

Ultra-slim evaporator range

9 standard configurations



AVAILABLE IN CITY VERSION



Skin reducing acoustic waves

Acoustic absorb material



OPTIONAL TRACKING DEVICES



Temperature Recorder

- Temperature records mandatory EC 37/2005
- Best loading practice evidence
- Intelligent independent device
- Full range compliant with EN12830

Data**COLD**

Web-based telematics

- GPS/GPRS capability
- Remote and real time fleet management
- Temperature & refrigeration unit alarm
- Carrier service network map spotted

COLDTrans

EXPERT SERVICE



1700 experienced and trained technicians

Quality genuine parts

24/7 assistance available in 17 languages

Adapted contact offer



More than 550 service centers available from your smartphone

FULL RANGE FOR FLEXIBILITY

Mono temperature

Supra 1050

Supra 1150

Supra 1250 & City



0°C
-20°C

9 100
5 600

10 500
6 350

12 000
6 900



0°C
-20°C

10 400
6 200

11 600
6 800



Multi temperature



Supra 1150 MT



Supra 1250 MT & City



Available in
City version

Piek
certified

**YOU CARRY
WE CARE**